



Composite ratchet wrench 1/2"

1042GP

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 17:19:31





DESCRIPTION



Composite ratchet wrench 1/2"

Nicknamed in-house the 10h42 for its great precision, it is an irreproachable wrench.

Two good reasons for buying it:

- Perfect ergonomics for great great working comfort.
- A profiled spindle guided by needle bearings backed up by an epicyclic gear train speed reducer for reliability and precision.

COMPACT This 1/2" ratchet wrench - the thinnest on the market to date - is designed for intense use. **COMPLETE** It has a high tightening torque (14-70 Nm) for great tightening quality. **ESSENTIAL** Heat treatment for the frame/ratchet for greater strength, ensuring that this wrench provides optimum tightening. It has the best equipment: composite material for comfort and protection against the cold, profiled head for access to restricted spaces, precision-engineered bearings for reliability. Ergonomic sheathing with area for positioning the thumb and a stop for the index finger enabling an excellent grip. Swivel rear

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



exhaust on silencer. Variable speed control and 360° coupling. Heat treatment for the frame/ratchet for greater strength.

STANDARDS / DIRECTIVES

ISO 11148-6, ISO 15744, ISO 28927-2

SPECIFIC DATA

Designation	COMPOSITE RATCHET WRENCH 1/2"
Sales reference	1042GP
L (mm)	315
Weight (g)	1350
l (mm)	21
H (mm)	30
drive square	1/2"
Rotation speed (rpm)	150
Noise level (dBa)	2,6
C mm	79
C min mm	6,2
C mm	113
Maximum input torque Nm	1/4"
Guarantee	70

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



[>> Find out more](#)

PNEUMATIC

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 17:19:31

