



Counter-cranked flank-drive wrenches, FME in mm

105-20X22-FME
105-...-FME

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 12:07:37





DESCRIPTION

Counter-cranked flank-drive wrenches, FME in mm

Forged chrome-vanadium steel. Two openings per wrench. Long body for powerful tightening. Thin 12-flat heads. Polished chrome-plate finish. Pronounced offsetting to improve access to nuts. With FME clip function.

STANDARDS / DIRECTIVES

NF ISO 691, NF ISO 1711-1, NF ISO 10104, DIN 838, ISO 691, ISO 1711-1, DIN ISO 1711-1, DIN ISO 691

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 12:07:37



SPECIFIC DATA



Designation	COUNTER-OFFSET RING SPANNER 20X22 MM WITH FME CLIP
Sales reference	105-20X22-FME
L (mm)	295
Weight (g)	360
H (mm)	30
e (mm)	12.5 x 13.5
D (mm)	30 x 33
A (mm)	20 x 22
Guarantee	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 12:07:37

