



Ring slugging wrenches in mm

108-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 09:25:23





DESCRIPTION

Ring slugging wrenches in mm

Extra-strong wrench: treated forged carbon steel. 12-Flat flank-drive head (return angle: 30°). Ideal for blocking nuts in heavy mechanical industries. Used with a sledgehammer, hammer or pneumatic hammer. Epoxy finish.

STANDARDS / DIRECTIVES

DIN 7444

SPECIFIC DATA

SAM Outillage


10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 09:25:23





Sales reference	L (mm)	Weight (g)	e (mm)	D (mm)	A (mm)	Guarantee
108-24	165	224	15	43	24	O
108-27	180	293	17	44	27	O
108-30	190	395	17	52	30	O
108-32	190	425	19	52	32	O
108-34	205	457	19	59	34	O
108-35	205	454	19	59	35	O
108-36	205	601	19	59	36	O
108-38	205	655	19	59	38	O
108-40	225	850	19	65	40	O
108-41	225	818	19	65	41	O
108-42	230	825	20	65	42	O
108-45	230	944	20	65	45	O
108-46	240	995	22	73	46	O
108-48	240	900	22	73	48	O
108-50	250	1574	23	76	50	O

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 09:25:23



108-52	250	1119	23	76	52	O
108-54	265	1511	24	84	54	O
108-55	265	1353	25	84	55	O
108-56	265	1375	25	84	56	O
108-57	265	1353	25	84	57	O
108-58	265	1407	25	84	58	O
108-60	280	2161	25	89	60	O
108-65	295	2235	28	100	65	O
108-70	325	2986	33	105	70	O
108-75	325	2720	33	108	75	O
108-80	355	4059	36	120	80	O
108-85	355	3829	36	125	85	O
108-90	380	6754	40	137	90	O
108-95	390	4900	40	140	95	O
108-100	420	6916	45	150	100	O
108-105	450	9995	48	165	105	O
108-110 (not marketed)	450	9333	48	165	110	O
108-115	450	9056	48	165	115	O
108-120	470	10100	50	185	120	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 09:25:23

