



Ring slugging wrenches in mm

108-30

108-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 15:04:12





DESCRIPTION

Ring slugging wrenches in mm

Extra-strong wrench: treated forged carbon steel. 12-Flat flank-drive head (return angle: 30°). Ideal for blocking nuts in heavy mechanical industries. Used with a sledgehammer, hammer or pneumatic hammer. Epoxy finish.

STANDARDS / DIRECTIVES

DIN 7444

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 15:04:12



SPECIFIC DATA



Designation	METRIC IMPACT OFFSET RING WRENCH 30MM
Sales reference	108-30
L (mm)	190
Weight (g)	395
e (mm)	17
D (mm)	52
A (mm)	30
Guarantee	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 15:04:12

