



Ring slugging wrenches in mm

108-48

108-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 22:50:23



**DESCRIPTION****Ring slugging wrenches in mm**

Extra-strong wrench: treated forged carbon steel. 12-Flat flank-drive head (return angle: 30°). Ideal for blocking nuts in heavy mechanical industries. Used with a sledgehammer, hammer or pneumatic hammer. Epoxy finish.

STANDARDS / DIRECTIVES**DIN 7444****SAM Outillage**

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 22:50:23



SPECIFIC DATA



Designation	METRIC IMPACT OFFSET RING WRENCH 48MM
Sales reference	108-48
L (mm)	240
Weight (g)	900
e (mm)	22
D (mm)	73
A (mm)	48
Guarantee	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

