



Impact wrench 3/8", IAR series 1132P

SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

https://www.sam-outillage.com/

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-14 13:11:50









DESCRIPTION



Impact wrench 3/8", IAR series

Its handle tilted at 3° and the palm of the hand 2/3 drawn with ribbing makes the best use of the finger's abductor and therefore procures excellent adherence of the hand.

LIGHT

This wrench benefits from a light weight (1.2 kg) as well as a short length (155 mm).

HIGH-PERFORMANCE

Its weight/speed ratio (1.2 kg/12,000 rpm) improves its performance by 25% with respect to conventional machines.

Composite impact wrench.



Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-14 13:11:50







Optimised double-hammer impact mechanism ensures increased durability.

Controls (variable air control lever + reverser button) grouped together in the same area at the back for greater utilisation comfort.

'Supple' trigger.

Exhaust through the handle.

Short nose for a better balanced wrench.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2

SPECIFIC DATA

Designation	REVERSER SERIES IMPACT WRENCH 3/8"
Sales reference	1132P
L (mm)	155
Weight (g)	1480
l (mm)	63
H (mm)	180
drive square	3/8"
Rotation speed (rpm)	12000
Noise level (dBa)	7.4
C mm	85
C min mm	6.2
C mm	260
Maximum input torque Nm	1/4"

https://www.sam-outillage.com/







Guarantee

585

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more





