



Series S1 powerful impact wrench 1/2" 1148









DESCRIPTION





Series S1 powerful impact wrench 1/2"

PRACTICAL: Tightening / loosening reversal with one pushbutton, 3 tightening speeds and 1 loosening speed.

COMFORT: Two-material handle for better comfort / suspension ring.

Compact wrench for intensive use for industrial and automotive maintenance jobs. Low-consumption wrench. Double hammer punch, low vibrations. Three-position torque variator and control button on the front. Suspension ring.

POWERFULIts so-called "cold" motor develops optimum power of 1,350 Nm when full-power unscrewing is required. The power developed represents an improvement of at least 25% with respect to what commonly exists for 1/2" wrenches. Compact wrench for intensive maintenance jobs, and also for automotive applications: exhaust, drivetrain. Low-consumption wrench. Double-hammer punch, reducing the vibrations. Cold-insulating S1 casing (handhold and wrench balancing...). 3-Position

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









variable torque control and sensitive-touch control button at the front. Suspension ring.

STANDARDS / DIRECTIVES

2006/42/CE

SPECIFIC DATA

| Designation | IMPACT WRENCH 1/2" |
|-------------------------|--------------------|
| Sales reference | 1148 |
| L (mm) | 165 |
| Weight (g) | 2200 |
| Rotation speed (rpm) | 6500 |
| Noise level (dBa) | 6.7 |
| C mm | 85 |
| C min mm | 6.5 |
| C mm | 170 |
| Maximum input torque Nm | 1/4" |
| Hammer type | 1350 |
| Guarantee | Double hammer |

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



10 rue Camille de Rochetaillée 42000 Saint-Etienne - France







