



## Box with MINI impact wrench 1/2", S1 series

**1148M-90**

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 18:52:58





## DESCRIPTION



## Box with MINI impact wrench 1/2", S1 series

### HIGH-PERFORMANCE

It has a weight/power ratio (1.3 kg - 620 Nm) that is unique on the market, allowing it to deliver its full power in restricted spaces. One-handed operation = 20% gain in productivity.

### COMPACT

Its dimensions (L122 H198 mm) mean it can be used anywhere.

Ultra-compact wrench. Wrench benefiting from all the advantages of the S1 mould (two-material reinforced protection casing, comfortable handle, balance). Low-consumption wrench. Double-hammer punch, reducing the vibrations. 'Sensitive' touch button at the front and 3-position variable torque control.

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 18:52:58



Suspension ring.

Equipped with the 200l/min multi-flow hose (Ref. 19015-MF), the wrench ensures 30% air consumption savings.

Box comprising:

1/2" wrench 1148M

Impact sockets Ø 13, 14, 15, 16, 17, 18, 19, 21 and 24 mm

1/2" square extension - 75 mm

**SPECIFIC DATA**

|                         |                             |
|-------------------------|-----------------------------|
| Designation             | MINI IMPACT WRENCH 1/2" BOX |
| Sales reference         | 1148M-90                    |
| L (mm)                  | 122                         |
| Weight (g)              | 2850                        |
| l (mm)                  | 64                          |
| H (mm)                  | 198                         |
| drive square            | 1/2"                        |
| Rotation speed (rpm)    | 9000                        |
| Noise level (dBa)       | 6.4                         |
| C mm                    | 89                          |
| C min mm                | 6,5                         |
| C mm                    | 150                         |
| Maximum input torque Nm | 1/4"                        |
| Guarantee               | 620                         |

**Guarantee applied**

**M1 | SAM Equipment and Machine Guarantee:**

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 18:52:58

