



Mini impact wrench 1/2", aluminium series 1158M





LRQA CERTIFIED ISO 9001

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-09 05:56:02







DESCRIPTION

Mini impact wrench 1/2", aluminium series

PRACTICAL This is a good trade-off between size (120 mm max.) and suitable power (10,000 rpm) which makes it an ideal tool for maintenance and bodywork jobs, on power trains, etc. In short, an excellent weight/power ratio (680 Nm), one of the most attractive on the market. BALANCED Its small size (120 mm), light weight (1.5 kg) and ergonomic handle whose grip covers the handle completely, makes it particularly efficient for the small models. 1/2" impact wrench with aluminium casing. Developed to facilitate work in reduced spaces. Equipped with a double-hammer punch system, it delivers very high levels of power. Ductable rear exhaust.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2









SPECIFIC DATA

Designation	ALUMINIUM SERIES IMPACT WRENCH 1/2"
Sales reference	1158M
L (mm)	120
Weight (g)	1750
l (mm)	60
H (mm)	180
drive square	1/2"
Rotation speed (rpm)	10000
Noise level (dBa)	8.5
C mm	87
C min mm	6.2
C mm	260
Maximum input torque Nm	1/4"
Guarantee	680

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



SILVER 2022 ecovadis Isustainability Rating

LRQ/\

CERTIFIED

ISO 9001