



Long-lasting intensive impact wrench, 1" metallic series 1183-200P



https://www.sam-outillage.com/

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-19 05:43:31









DESCRIPTION

Long-lasting intensive impact wrench, 1" metallic series

ROBUST Its twin-hammer impact system coupled with a damper offers increased robustness and lower vibration levels. PRACTICAL The axially situated supply and exhaust couplings do away with the problem of pipes getting in the way. HIGH-PERFORMANCE Its vane motor made of alloys derived from automotive mechanics make it possible to provide power levels (2,300 Nm) 30% higher than those of traditional machines. Short- or long-peg wrench, classified LD (long duration) designed for interventions on HGV wheels, as well as in the area of civil engineering, demanding tyre applications... Aluminium two-body casing. Swivelling auxiliary handle. Ergonomic 45° rear handle. Reverser and variable power control. Rear exhaust on ductable silencer. The progressive pushbutton makes it very practical to use.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2





SAM Outillage 10 rue Camille de Rochetaillée

42000 Saint-Etienne - France RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

https://www.sam-outillage.com/



SPECIFIC DATA

Designation	METALLIC SERIES INTENSIVE LONG SERIES IMPACT WRENCH 1"
Sales reference	1183-200P
L (mm)	470
Weight (g)	10800
l (mm)	160
H (mm)	175
drive square	1"
Rotation speed (rpm)	4100
Noise level (dBa)	16
C mm	92
C min mm	8
C mm	700
Maximum input torque Nm	1/2"
Guarantee	2300

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more





LRQ/\

CERTIFIED

ISO 9001