



1" straight impact wrench for intensive use

1183









DESCRIPTION

1" straight impact wrench for intensive use

ROBUSTIts twin-hammer impact system coupled with a damper offers increased robustness and lower vibration levels.PRACTICALThe axially situated supply and exhaust couplings do away with the problem of pipes getting in the way.HIGH-PERFORMANCEIts vane motor made of alloys derived from automotive mechanics make it possible to provide power levels (2,300 Nm) 30% higher than those of traditional machines.Short- or long-peg wrench, classified LD (long duration) designed for interventions on HGV wheels, as well as in the area of civil engineering, demanding tyre applications...Aluminium two-body casing. Swivelling auxiliary handle. Ergonomic 45° rear handle. Reverser and variable power control.Rear exhaust on ductable silencer.The progressive pushbutton makes it very practical to use.


SPECIFIC DATA

Designation	1" METALLIC SERIES INTENSIVE IMPACT WRENCH	
Sales reference	1183	//

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









L (mm)	355
Weight (g)	9800
I (mm)	160
H (mm)	175
drive square	1"
Rotation speed (rpm)	4100
Noise level (dBa)	16
C mm	92
C min mm	8
C mm	700
Maximum input torque Nm	1/2"
Guarantee	2300

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in

