



Spot-ripper MINI sander - 32 mm

1344P

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 10:13:36





DESCRIPTION

Spot-ripper MINI sander - 32 mm

PRECISE Its 3mm off-centring and the diameters of the two support plates provided are the necessary factors for touching up paint runs and micro-scratches which require very meticulous working. Ideal orbital sander for bodywork jobs on small surfaces. It can be used to touch up micro-scratches and paint runs and for spot repair jobs. Sheathed handle. Disc diameter: 2x32 (vinyl + hook). Composite handle and variable speed drive. Exhaust to the rear. 3mm off-centring. No suction.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 10:13:36



SPECIFIC DATA

Designation	ORBITAL SANDER 32 MM
Sales reference	1344P
L (mm)	168
Weight (g)	770
l (mm)	40
h (mm)	88
Power (W)	170
Rotation speed (rpm)	12000
Noise level (dBa)	6.3
C mm	74
C min mm	6.3
C mm	500
Guarantee	1/4"

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

