



## Orbital sander, backing pad 75mm-2.5-nv

**1347P**

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-06 06:08:15





## DESCRIPTION

### Orbital sander, backing pad 75mm-2.5-nv

#### RELIABLE

This series of 75 mm orbital sanders combines three technical aspects that ensure great reliability and a longer tool lifetime: Very sensitive control lever, ensuring less jolting which lengthens the lifetime.

Sander well-suited to touching up jobs and for operations on small surfaces. Its special design allows you to use it not only on irregular surfaces but also on areas with a rounded shape. The 2.5 mm models can also be used for the renovation of headlights.

Ergonomic profile. Variable speed control. Exhaust to the rear on silencer block.

## STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-06 06:08:15



**SPECIFIC DATA**

Designation	NON-VENTILATED ORBITAL SANDER 75 MM-2.5
Sales reference	1347P
L (mm)	135
Weight (g)	1100
l (mm)	77
h (mm)	84
Power (W)	240
Rotation speed (rpm)	10000
Noise level (dBa)	1.9
C mm	81
C min mm	6.3
C mm	360
Guarantee	1/4"

**Guarantee applied**

**M1 | SAM Equipment and Machine Guarantee:**

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

