



Contact tips

1350-E...pointes

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 20:24:00





DESCRIPTION

Contact tips

Service voltage: 1,500V. Contact resistance < 2 Mohm. Plug-in test probe (D: 4mm). One-metre flexible cord, 0.75mm², with one male plug with rear connector (D: 4 mm). 1350-E1 and 1350-E2: WITHOUT cords. 1350-E3 and 1350-E4: WITH cords.

SPECIFIC DATA

Sales reference	L (mm)	Allowed intensity	Color	Guarantee
1350-E1	1150	25A	Red	C
1350-E2	1150	25A	Black	C

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



1350-E3	1000	12A	Red	C
1350-E4	1000	12A	Black	C

Guarantee applied**C | Consumable**

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 20:24:00

