



5I can of professional wheel cleaning liquid

1565-LR

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









DESCRIPTION

5l can of professional wheel cleaning liquid

ULTRA-POWERFUL WHEEL CLEANING GEL

ULTRA-POWERFUL WHEEL CLEANER puts the shine back on all types of metal or alloy wheel rims, as well as hubcaps.

Instructions for use:

Ready for use. Can also be diluted in water according to dirtiness.

Apply the product directly to dry wheel rims or hubcaps.

For safety's sake, use on cold wheel rims or hubcaps.

Allow to act for 1 to 2 min.

Apply high pressure, or a sponge or brush.

Rinse.

Applications:

ABNET ULTRA-POWERFUL WHEEL CLEANER removes brake dust, grease, oil, etc.

It does not attack the wheel rims of hubcaps.

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in







1565-LR 51 can of professional wheel cleaning liquid

On light alloy wheel rims, it is preferable to do a test beforehand.

Characteristics:

POTASSIUM HYDROXIDE

Causes burns to the skin and serious eye lesions.

Keep out of the reach of children. Do not breathe in the aerosols.

Wear gloves and eye/face protection equipment.

IN CASE OF INGESTION: rinse out your mouth. DO NOT make the person vomit. IN THE CASE OF CONTACT WITH YOUR SKIN (or hair): immediately remove all your contaminated clothes. Rinse with water or take a shower. IN THE CASE OF CONTACT WITH YOUR EYES: carefully rinse with water for several minutes. Remove contact lenses if the victim is wearing them and if they can be removed easily.

Continue to rinse. Immediately call an ANTI-POISON CENTRE.

For safety's sake it is not advisable to dilute the product in food packaging or to keep the diluted solution in a container without a label.

Alkaline Liquid. Dissolves in water whatever the proportions. Does not contain any wax or silicone. Product made with biodegradable surfactants in line with the applicable regulations. In the case of spraying, use in well-ventilated places. This information applies to this product and might not be valid in combination with other products. The purpose of the information given in these instructions is to advise you, but does not imply any commitment on our behalf insofar as its utilisation is beyond our control.

Composition: less than 5% phosphates, anionic surface agents, non-ionic surface agents, EDTA and salts. STORE SHELTERED FROM FROST.

5 L

SPECIFIC DATA

| Designation | 5L CAN OF PROFESSIONAL WHEEL CLEANING LIQUID |
|-----------------|--|
| Sales reference | 1565-LR |
| Weight (kg) | 5.31 |
| Guarantee | C Consumable |

Guarantee applied

C | Consumable

The products in this category will not be replaced and are subject to normal wear phenomena.

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









>> Find out more

SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €





