



Composite MINI angle-grinder, 90° - 6 mm

1638GP

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 23:21:13





DESCRIPTION

Composite MINI angle-grinder, 90° - 6 mm

ROBUST Its steel head (unlike many others) is machined in a single piece for better resistance. Mini-grinder designed for general maintenance applications and for working difficult-to-access places. Very good weight/speed ratio. Composite casing with comfortable sheath. Silent ductable rear exhaust. Variable speed control placed on the top to make the operator's work easier.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 15744, ISO 28927-2

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 23:21:13



SPECIFIC DATA

Designation	ANGLE MINI-GRINDER 90°-6 MM
Sales reference	1638GP
L (mm)	160
Weight (g)	770
l (mm)	74
h (mm)	40
Power (W)	150
Rotation speed (rpm)	22000
Noise level (dBa)	2,5
C mm	95
C min mm	6,3
C mm	200
C mm	1/4"
Guarantee	6 mm

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 23:21:13

