



Angle grinder - 50 mm

1642

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-07 02:23:34





DESCRIPTION

Angle grinder - 50 mm

ROBUST Its head is machined in one piece. The exhaust is in the axis of the motor to ensure good ventilation, particularly at high speeds. **COMFORTABLE** The composite equipment ensures it is light and comfortable, and also causes lower vibration levels. **COMPACT** Its compactness gives the impression of being the extension of your hand and ensures perfect control on the part. Furthermore, it makes the tool easy to use. Power saw developed for places difficult to access. Right-left adjustment with a lever. Exhaust to the front. Comfortable rubber sheath. Adjustable protection. Safety trigger. Can be used for sawing and deburring discs (follow the instructions of the grinder manufacturer).

STANDARDS / DIRECTIVES

2006/42/CE, ISO 15744

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-07 02:23:34



SPECIFIC DATA

Designation	ANGLE MINI-CUTTING TOOL 50MM
Sales reference	1642
L (mm)	129
Weight (g)	850
l (mm)	93
h (mm)	65
Power (W)	250
Rotation speed (rpm)	20000
Noise level (dBa)	2.5
C mm	81
C min mm	6.3
C mm	160
C mm	1/4"
Guarantee	3/8

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

