



Angle grinding cutter/ circular saw 100 mm

1645

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 11:39:40





DESCRIPTION

Angle grinding cutter/ circular saw 100 mm

POWERFUL Its excellent speed/power combination (14,000 rpm - 700 W) means it can cope with difficult cutting jobs. **SAFE** Its 11-position setting ensures excellent visibility of the cutting operations. Its long shaft allows it to reach confined spaces. Its shaft locking button ensures fast mounting and removal. **ROBUST** Its profiled head machined in a single block, as well as its one-piece steel body guarantee its solidity. **GRINDER** designed for multiple applications notably metal, tube and composite material cutting. **COMFORT** Secure control lever. Exhaust to the rear. Comfortable handle insulating against the cold. 360° air intake.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 15744

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 11:39:40



SPECIFIC DATA

Designation	ANGLE GRINDING/CUTTING TOOL 100MM
Sales reference	1645
L (mm)	371
Weight (g)	2240
l (mm)	112
h (mm)	59
Power (W)	700
Rotation speed (rpm)	14000
Noise level (dBa)	3.6
C mm	89
C min mm	6.3
C mm	160
C mm	1/4"
Guarantee	M15

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

