



Composite straight drill - 10mm - 2,500 rpm

1745G-1

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in











DESCRIPTION

Composite straight drill - 10mm - 2,500 rpm

COMFORTABLE

Its very comfortable sheathing, insulating against the cold, into which the trigger fits gives an excellent grip.

Composite casing. Comfortable sheathing insulating against the cold. Ductable rear exhaust.

Variable control with safety system. Fitted with an integrated silencer.

Thanks to its motorisation this drill is suitable for use with cylindrical drill bits, tapered milling grinders as well as for stepped drill bits, whether HSS or TiN.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 15744

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









SPECIFIC DATA

| Designation | COMPOSITE STRAIGHT DRILL 10MM - 2500RPM |
|----------------------|---|
| Sales reference | 1745G-1 |
| L (mm) | 500 |
| Weight (g) | 1050 |
| I (mm) | 155 |
| h (mm) | 163 |
| Power (W) | 42 |
| C min mm | 10 |
| Rotation speed (rpm) | 2500 |
| Noise level (dBa) | 2.5 |
| C mm | 79 |
| C min mm | 6.5 |
| C mm | 200 |
| Guarantee | 1/4" |

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in





