



# Adjustable revolver screwing tool 1/4", 1,700 rpm

1764

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 











#### **DESCRIPTION**

## Adjustable revolver screwing tool 1/4", 1,700 rpm

ERGONOMIC Handle that can be fully held in the hand for a better grip and to avoid wrist discomfort. HIGH PERFORMANCE This power screwdriver's expression of requirements had to meet 3 criteria: low weight, extremely low noise and vibration levels. Weight (0.85 kg) Vibration (1.1 m/s2) Noise 76 dB (A). Compact, it has been developed not only for assembly operations but also to cope with jobs where access is difficult. So-called adjustable clutch. Can be used with a balancer device. No key required to adjust the torque. Downwards exhaust with built-in silencer. Easily accessible rotation direction reverser. Suspension hook.

#### STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2

#### **SAM Outillage**

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 









#### **SPECIFIC DATA**

Designation	1/4" ADJUSTABLE ALUMINIUM REVOLVER SCREWDRIVER, 1,700 RPM
Sales reference	1764
L (mm)	165
Weight (g)	1120
I (mm)	43
H (mm)	154
Rotation speed (rpm)	1/4
Noise level (dBa)	1700
C mm	1.1
C min mm	76
C mm	6,3
Maximum input torque Nm	538
Guarantee	1/4"

#### **Guarantee applied**

### M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 





