



Composite adjustable revolver screwing tool 1/4", 1,800 rpm 1765





LRQA CERTIFIED ISO 9001

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 16:48:27





DESCRIPTION

Composite adjustable revolver screwing tool 1/4", 1,800 rpm

FAST Its speed of up to 1,800 rpm combined with its low weight (just one 1 kilo) improves its performance by nearly 25% with respect to a traditional power driver. TECHNICAL The two differential-tension springs ensure consistent screwing thanks to its regularity, thus contributing to better productivity. Power screwdriver with a composite body is equipped with a so-called 'adjustable' clutch. It includes two springs in line set to two different tensions. High speed of 1,800 Nm for a range of up to 6 Nm. Well-balanced tool. Its high-structure casing allows you to work in places with limited access.

STANDARDS / DIRECTIVES

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2









SPECIFIC DATA

Designation	COMPOSITE ADJUSTABLE REVOLVER SCREWING TOOL 1/4" 1800RPM
Sales reference	1765
L (mm)	2101
Weight (g)	1360
l (mm)	45
H (mm)	160
Rotation speed (rpm)	1/4
Noise level (dBa)	1800
C mm	1.1
C min mm	84
C mm	6,2
Maximum input torque Nm	113
Guarantee	1/4"

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more





LRQA

CERTIFIED

ISO 9001