



# Composite adjustable revolver screwing tool 1/4", 1,800 rpm 1765









#### **DESCRIPTION**

# Composite adjustable revolver screwing tool 1/4", 1,800 rpm

FAST Its speed of up to 1,800 rpm combined with its low weight (just one 1 kilo) improves its performance by nearly 25% with respect to a traditional power driver. TECHNICAL The two differential-tension springs ensure consistent screwing thanks to its regularity, thus contributing to better productivity. Power screwdriver with a composite body is equipped with a so-called 'adjustable' clutch. It includes two springs in line set to two different tensions. High speed of 1,800 Nm for a range of up to 6 Nm. Well-balanced tool. Its high-structure casing allows you to work in places with limited access.

### **STANDARDS / DIRECTIVES**

2006/42/CE, ISO 11148-6, ISO 15744, ISO 28927-2

# **SAM Outillage**

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 









# **SPECIFIC DATA**

Designation	COMPOSITE ADJUSTABLE REVOLVER SCREWING TOOL 1/4" 1800RPM
Sales reference	1765
L (mm)	2101
Weight (g)	1360
I (mm)	45
H (mm)	160
Rotation speed (rpm)	1/4
Noise level (dBa)	1800
C mm	1.1
C min mm	84
C mm	6,2
Maximum input torque Nm	113
Guarantee	1/4"

# **Guarantee applied**

# M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 





