



Greace gun step by step 1880-2



https://www.sam-outillage.com/

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 13:39:17



LRQA CERTIFIED ISO 9001



1880-2 Greace gun step by step



DESCRIPTION

Greace gun step by step

Aluminium body.Pump head made of moulded zinc for greater impact and crushing resistance.Sealing with O-ring and ball valve.Stroke-by-stroke operation.Supplied with rigid and flexible greasing extensions.

HIGH-PERFORMANCEIts mechanical grease suction and compression system prevents loss of priming. Its moulded zinc pump head gives it greater resistance to impacts and crushing.Sealing with O-ring and ball valve.Aluminium body. Steel tank with ridges for rigidity. Suction and compression system. Stroke-by-stroke operation. Filling coupling and bleed valve. Supplied with rigid and flexible greasing extensions.Content: 0.3 to 0.4L

SPECIFIC DATA

			/
Designation	SPOT-BY-SPOT GREASE	GUN	
Sales reference	1880-2		
SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France		2022	RQA
RCS Saint-Etienne B 338 002 231 SAS au capital de 8 189 583 €		ecovadis Sustainability Rating	SO 9001
https://www.sam-outillage.com/		Indung	2/3
Photos and texts not contractually binding. Do not litter. Document gener	ated on 2024-04-28 13:39:17		



L (mm)	57	
Weight (g)	1620	
l (mm)	405	
h (mm)	170	
Capacity	0.31-0.4	
C mm	6.3	
C min mm	/	
C mm	1/4"	
Guarantee	M1 SAM Equipment and Machine Guarantee:	

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



