



Multi-flow spiral polyurethane hose

19015-MF

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 09:55:19





DESCRIPTION

Multi-flow spiral polyurethane hose

HIGH PERFORMANCE: This exclusive PTS hose allows you to choose the maximum air flow sent to your pneumatic tool (400, 200, 100 litres/mn). **ECONOMICAL:** Simply by turning the ring on the quick-connect coupling you can control your air flow, which will allow you to make air savings of up to 20% a year.

Spiral hose equipped with multi-flow quick-connect coupling proposing 3 flow rates: 100, 200, 400 l/mn. Calibrated PU spiral tube (polyurethane). Length 0.35 to 6 metres (stretched). Inner dia: 8 mm. Outer dia: 12 mm. BP: 60 bar. Operating pressure: 20 bar. Equipped with a 6mm safety coupler and a 6mm rotating male coupler. Weight 130g

SPECIFIC DATA

Designation	MULTI-FLOW 6M SPIRAL OF POLYURETHANE HOSE
Sales reference	19015-MF

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Weight (g)	130
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied**M1 | SAM Equipment and Machine Guarantee:**

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 09:55:19

