

Compressed air hose, flexibility

19208-50P

SAM Outillage


10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-19 21:04:06





DESCRIPTION

Compressed air hose, flexibility

FLEXIBILITY The 3-layer design gives it exceptional strength and above all flexibility, even at low temperatures. **TECHNICAL** Its balanced reinforcement allows it to resist high pressures, associated with low deformations, and also to withstand long and frequent pressure pulse cycles. Very flexible PVC hose. Three-layer design made of extra-flexible PVC with high-strength polyester fibre. Indoor and outdoor use. BP: 60 bar. Operating pressure 15 bar. Utilisation range: -20° to +60° C. Length: 25 m or 50 metres. Ideal for industrial sectors in general, and automotive applications, plastics, joinery, assembly units.

SPECIFIC DATA

Designation	50M COMPRESSED AIR COIL FLEXIBILITY 8X13 MM
Sales reference	19208-50P
Maximum length (m)	50

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-19 21:04:06



Ø mm	13
Ø mm	8
Weight (g/m)	106
Torque Nm	70
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-19 21:04:06

