

Compressed air hose, flexibility 19210-25P

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in

https://www.sam-outillage.com/









DESCRIPTION

Compressed air hose, flexibility

FLEXIBILITYThe 3-layer design gives it exceptional strength and above all flexibility, even at low temperatures.TECHNICALIts balanced reinforcement allows it to resist high pressures, associated with low deformations, and also to withstand long and frequent pressure pulse cycles.Very flexible PVC hose. Three-layer design made of extra-flexible PVC with high-strength polyester fibre.Indoor and outdoor use. BP: 60 bar. Operating pressure 15 bar.Utilisation range: -20° to +60° C.Length: 25 m.Ideal for industrial sectors in general, and automotive applications, plastics, joinery, assembly units.

SPECIFIC DATA

Designation	25M COMPRESSED AIR COIL FLEXIBILITY 10X15.5 MM
Sales reference	19210-25P
Maximum length (m)	25

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









19210-25PCompressed air hose, flexibility

Ø mm	15.5
Ø mm	10
Weight (g/m)	141
Torque Nm	70
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in





