

## Compressed air hose, flexibility

**19210-25P**

### **SAM Outillage**


10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 19:21:56





DESCRIPTION

Compressed air hose, flexibility

**FLEXIBILITY** The 3-layer design gives it exceptional strength and above all flexibility, even at low temperatures. **TECHNICAL** Its balanced reinforcement allows it to resist high pressures, associated with low deformations, and also to withstand long and frequent pressure pulse cycles. Very flexible PVC hose. Three-layer design made of extra-flexible PVC with high-strength polyester fibre. Indoor and outdoor use. BP: 60 bar. Operating pressure 15 bar. Utilisation range: -20° to +60° C. Length: 25 m. Ideal for industrial sectors in general, and automotive applications, plastics, joinery, assembly units.

SPECIFIC DATA

Designation	25M COMPRESSED AIR COIL FLEXIBILITY 10X15.5 MM
Sales reference	19210-25P
Maximum length (m)	25

Ø mm	15.5
Ø mm	10
Weight (g/m)	141
Torque Nm	70
Guarantee	M1   SAM Equipment and Machine Guarantee:

#### Guarantee applied

##### M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

#### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 19:21:56

