



Combination pliers with spring, polished chrome-plate + clip

204-R...G-FME

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 04:40:50





DESCRIPTION

Combination pliers with spring, polished chrome-plate + clip

Safety: To ensure your interventions are safe, to avoid dropping tools and wasting time, to prevent industrial accidents and improve productivity = Opt for the SAM anti-dropping solution. All the products in the FME range are equipped with a clip preventing you from dropping your tools.

Bi-material coated handles. Forged from chrome vanadium steel. Return spring allows for extremely versatile use. Spring loaded universal pliers, polished chrome-plated, 185 mm. POWERFUL: Ridged jaw for a better grip when tightening. Integrated wire cutter for hard steel wire. C: hard steel wire cutting capacity.

STANDARDS / DIRECTIVES

NF ISO 5746

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 04:40:50



SPECIFIC DATA



Sales reference	L (mm)	E (mm)	Weight (g)	C (mm)	L1 (mm)	L"	e2 (mm)	Guarantee
204-R18G-FME	185	10	240	2.5	37	7"1/8	12	O
204-R16G-FME	165	9	210	1.8	34	6"1/2	11	O


Guarantee applied


O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

Toolset

 x 1 Polished chrome-plated universal pliers with spring
204-R...G

 x 1 Set of 5 locking-clips for FME tool holder
CLIP-20-FME

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

