



## Screw tyre-bead wedging clamp

**262417**

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 07:54:56





**DESCRIPTION**

**Screw tyre-bead wedging clamp**

Pincers + plastic baseplate to push tyre bead, when mounting, into the rim base. - The 3rd hand for RUN FLAT low-profile tyres with load-bearing sides - The rod does not undergo any stress and the gum tip is not damaged. - The proper lubrication of the tyre beads and of the rim base remains essential. These pincers are essential when mounting low-profile tyres with load-bearing sides (RUN FLAT).

**SPECIFIC DATA**

Designation	SCREW TYRE-BEAD WEDGE
Sales reference	262417

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Weight (kg)	0.32
Guarantee	C   Consumable

**Guarantee applied****C | Consumable**

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 07:54:56

