



## Electric winder

**2943**

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-19 03:35:30





## DESCRIPTION

### Electric winder

Reel: Shockproof plastic box.

Roller cable-guide device.

Stopping applicable every 50 cm.

Double earth contact.

Slip ring insulation voltage 2.5 Kv.

Slip ring with brass bushings and brushes.

IP42 protection.

Utilisation temperature -5°C/+40°C.

Spring ideal for 20,000 complete cycles.

Reeled cable: 1.2 kW.

Unreeled cable: 1.8 kW.

Reel protection: IP42.

Number of conductors: 3.

Cable diameter: 3 x 1.5 mm<sup>2</sup>

Type of cable: H05 VV-F.

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-19 03:35:30



**STANDARDS / DIRECTIVES**

NF EN60335-1, NF EN61242

**SPECIFIC DATA**

Designation	ELECTRIC CABLE REEL 11.5 M 3 X 1.5 MM <sup>2</sup>
Sales reference	2943
Weight (kg)	2.75
L (m)	10 +1.5
Thermal protection	Yes
Cable section (mm <sup>2</sup> )	3 x 1.5
Guarantee	M1   SAM Equipment and Machine Guarantee:

**Guarantee applied****M1 | SAM Equipment and Machine Guarantee:**

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

