



Paintless dent auto body tool slide hammer glue puller 295-TPM



https://www.sam-outillage.com/

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-05 14:13:02





1/3



DESCRIPTION



Paintless dent auto body tool slide hammer glue puller

Composition of the kit: 1 electric adhesive gun, 220V - 200°C and 8 standard adhesive melt sticks. 1 set of 9 adhesive pellets with different diameters. 1 stainless steel inertia hammer with fast attachment fitting. 1 traction-point pliers with bodywork soft protection coating to be positioned when applying the force. 1 nylon force lever and 1 solvent diffuser flask (acetone-type to be filled) for removing bonded pellets. Supplied in a plastic storage box. The traction-point dent-removal kit with inertia mass allows the user to repair hail-damaged bodywork that has suffered slight denting without requiring painting. Before using, clean the working area so it is clean and dry. Then select the pellet whose diameter is closest to that of the zone to be pulled. The user fastens the plastic pellets with the gun and the specific adhesive to the dent-removal area. You can then attach the inertia mass or the traction pliers to this pellet using its special fitting and pull on the bodywork applying force gradually or pulling sharply. You can then remove the pellet using a conventional solvent and the nylon lever.

AUTOMOTIVE





SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 € https://www.sam-outillage.com/



SPECIFIC DATA

Designation	PULLING POINT WITH INERTIA MASS BOX
Sales reference	295-TPM
Weight (kg)	4.250
Guarantee	O SAM TOOL guarantee.

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

>> Find out more



https://www.sam-outillage.com/



