SAMSOPLUS® riveting hammer, three-material handle

310-42TM

310-...TM

SAM Outillage
10 rue Camille de Rochetaillée
42000 Saint-Etienne - France
RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €
https://www.sam-outillage.com/

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 10:51:06

DESCRIPTION

+ DE CONFORT

SAMSOPLUS® riveting hammer, three-material handle

SAFETY:Head-handle attached with two-component epoxy resin.Separation: 200% of the wood handle standard.Thrust: 400% of the standard.COMPOSITION:1) Bone-shaped fibreglass: full rigidity. Withstands changes of environment.2) Polypropylene: lower vibration levels.3) SEBS overmoulding: to ensure the handle has the ergonomic y and sensitivity characteristics expected by professionalsCOMFORT:The overmoulding provides an ergonomic shape for a perfect grip and complete adherence.The widening shape means the hammer will not slip out of your hand in movement.PRECISION:Head with its finely polished tapered shape.

Forged carbon steel head. Non-slip material. Ergonomic fibreglass reinforced handle. Head + handle bonded with epoxy adhesive. Finely polished tapered head.

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 10:51:06

STANDARDS / DIRECTIVES

NF ISO 15601, DIN 1041

SPECIFIC DATA



Designation	RIVETING HAMMER THREE-MATERIAL 42 MM
Sales reference	310-42TM
L (mm)	338.5
Weight (g)	1210
C (mm)	42.5
H (mm)	115.5
Guarantee	O

Guarantee applied

O | SAM TOOL guarantee.
Guarantee without time limit on the tools used under normal conditions.

>> Find out more

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 10:51:06