



Vacuum gauge with fittings

3172

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-20 17:47:47





DESCRIPTION

Vacuum gauge with fittings

Efficient and quick apparatus for on-site diagnosis of air vacuum lines. Ideal in automotive applications for checking automatic gearboxes, vacuum pump, servobrakes, etc. One pressure gauge dia. 100 mm and capacity of 0 to 1 bar. Two couplings shaped for quick insertion in gum or plastic tubes of different diameters. One 3-way coupling completed by a special tube for checking the efficiency of the "EGR" valves on modern diesel engines. Supplied in an anti-impact case. Comply with the data given by the manufacturers for the vacuum values to be checked.

SPECIFIC DATA

Designation	0-1 BAR VACUUMETER
Sales reference	3172
Weight (kg)	1.22

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Guarantee	M1 SAM Equipment and Machine Guarantee:
-----------	---

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

