



High-power pneumatic actuator spring compressor (2.4t)

3241











DESCRIPTION







High-power pneumatic actuator spring compressor (2.4t)

POWERFUL: Spring compressor ideal for light commercial vehicles, 4X4, etc.

Universal pneumatic compressor for suspensions.

Foot control with pneumatic control pedal.

Double tubular gate to protect the operator.

Equipped with an air supply cutout switch on gate opening.

Cup support with double positioning to increase the working travel distance.

Increased safety on gate opening thanks to the new spring system.

Safety valve for shutting down the machine on gate opening.

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in









Protection bushing.

UTILISATION CONDITIONS:

Air pressure: 6 to 10 bars

Compression capacity: 2.4 tonnes at 10 bars

Dimensions: 500 x 300 x 1,600 mm

Product supplied with two compression cups:

Cup 1: dia. 78 to 130 mm
Cup 2: dia. 105 to 182 mm
Compression force: 2,452 kg

Machine compliant with standard EC 2006/42/EC and 97/23/EC - Weight 70 kg.

This spring compressor is supplied with 2 cups Ø 78-130 mm / 105-182 mm, Riser integrated in the chassis to avoid working with your back bent. All the other accessories are optional and can be installed on this version, such as stay-rod vice, additional cups, etc. Ideal for replacing all types of shock absorber available on the market.

SPECIFIC DATA

Designation	HIGH-POWER SPRING COMPRESSOR
Sales reference	3241
Weight (kg)	93.000
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in





