



Clutchable and adjustable torque screwdriver

40

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 03:50:14





DESCRIPTION

Clutchable and adjustable torque screwdriver

IMPOSSIBLE TO OVERSHOOT THE TORQUE VALUE: thanks to the automatic disengagement system. QUICK SETTING: of the tightening torque. MULTI-PURPOSE: 1/4" square or 6-flat output for use with sockets and bits. COMFORT: Ergonomic handle for a perfect grip.

Disengageable screwdriver with automatic resetting. Ideal for maintenance, micromechanics and precision mechanics. Screwing and unscrewing functions. Torque setting with self-lockable vernier micrometer. Accuracy: +/- 6%. Each screwdriver is numbered and supplied with a calibration certificate.

STANDARDS / DIRECTIVES

NF ISO 6789-1

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 03:50:14



SPECIFIC DATA



Designation	TORQUE SCREWDRIVER 6-FLAT 1/4" 0.2-1.2 NM
Sales reference	40
L (mm)	175
Weight (kg)	0.22
D (mm)	33
Capacity	0,2 - 1,2 Nm
drive	1/4" 6-flat hollow-head wrench
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 03:50:14

