



FME combination wrench

50N-...-FME

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 19:01:44





DESCRIPTION

FME combination wrench

Forged chrome-vanadium steel. Eye bent at 15° to facilitate handling on flat surfaces. Slender open-end and finer eye making it easier to access nuts. Eye with Surface Drive profile for a better grip on the nut. Body wider in the centre to facilitate handling and greater comfort. Spanner designed to reduce its weight while keeping very great strength and improve utilisation comfort. Strength: 1.7 x the standard on the eye side and 1.4x the standard on the open-end side. Reduced thickness and width on the open-end side making it easier to access the nuts. With FME clip function.

STANDARDS / DIRECTIVES

NF ISO 691, NF ISO 1711-1, NF ISO 3318, DIN 3113, ISO 691, ISO 3318, ISO 1711-1, DIN ISO 1711-1, DIN ISO 691

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 19:01:44



SPECIFIC DATA



Sales reference	L (mm)	Weight (g)	H (mm)	d (mm)	e (mm)	D (mm)	A (mm)	Guarantee
50N-10-FME	140	47	7	14.8	4.1	22	10	O
50N-11-FME	146	53	7.4	16.4	4.2	24	11	O
50N-12-FME	153.5	60	7.8	17.8	4.3	26	12	O
50N-13-FME	161.5	70	8.3	19.1	4.6	28	13	O
50N-14-FME	170.5	82	8.5	20	4.9	30.5	14	O
50N-15-FME	179.5	90	8.7	21.5	5	32	15	O
50N-16-FME	188	107	9	23	5.3	34	16	O
50N-17-FME	199	128	9.5	24.5	5.5	36.5	17	O
50N-18-FME	207	147	10.5	26	6	37.5	18	O
50N-19-FME	217	163	10.7	27.5	6.2	40	19	O
50N-20-FME	225	178	11.5	28.5	6.5	41	20	O
50N-21-FME	234	197	12	30	6.6	42	21	O
50N-22-FME	242.5	224	12.4	31	6.7	44.5	22	O

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



50N-23-FME	254	230	12.5	32.5	6.8	48	23	O
50N-24-FME	266	274	12.8	34.9	7.2	50	24	O
50N-25-FME	274.5	280	13	36	7.3	51	25	O
50N-26-FME	282.5	284	13.2	37.2	7.4	53	26	O
50N-27-FME	292.5	336	13.2	38.8	7.5	56.2	27	O
50N-28-FME	302.5	373	13.6	40.1	7.8	58	28	O
50N-29-FME	312	414	13.8	41.5	7.8	60	29	O
50N-30-FME	322	438	14.5	42.5	8.2	62	30	O
50N-32-FME	329	465	15	45	8.2	64.5	32	O
50N-34-FME	339	450	15.6	46.8	8.3	66	34	O
50N-35-FME	344.5	530	16.4	50.5	8.3	72	35	O
50N-36-FME	350	570	16.6	50.8	8.3	73.5	36	O
50N-38-FME	356	580	17.4	53.5	8.3	76	38	O
50N-8-FME	127	33	6.2	12.3	3.4	18	8	O
50N-9-FME	133	35	6.5	13.4	3.7	20	9	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

