



Opto rs 232 25 mm digital electronic micrometer

710-M4

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-21 04:29:27





DESCRIPTION

Opto rs 232 25 mm digital electronic micrometer

IP 40

Watertight measurement system DIN 40050 / IEC529.

LCD display. Mm / inch adjustment. Body coated with insulation, tungsten carbide surface, lapped.

Reset in all positions. ON / OFF button. Quick and secure fastening thanks to the locking ring. Ratchet wheel for constant measuring pressure.

Repeatability 0.01 mm / 0.00005 inches.

Drum diameter: 18mm. RS.232 output.

Supplied in a wooden box with certificate of conformity, instructions for use and SR-44 battery.

Possibility of connecting the device to a PC-type computer using the KC-2 cable for sending data to a statistical processing system.

STANDARDS / DIRECTIVES

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-21 04:29:27



DIN 863

SPECIFIC DATA

Designation	OUTER MICROMETER
Sales reference	710-M4
Weight (g)	780
Accuracy (mm)	0.01
Capacity (mm)	0 - 150
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied**M1 | SAM Equipment and Machine Guarantee:**

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-21 04:29:27

