



## Friction exterior mechanical micrometer

### 710-M6

#### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 08:15:24





## DESCRIPTION

### Friction exterior mechanical micrometer

Lightweight model, metric reading.

Use in workshop.

Reading drum and socket chrome matt.

Gooseneck with hammered effect.

Tungsten carbide measuring surface, lapped and flattened.

Locking ring for quick and secure attachment.

Ratchet wheel for constant measuring pressure.

Delivered in a plastic box.

## STANDARDS / DIRECTIVES

DIN 863

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 08:15:24



## SPECIFIC DATA

Designation	OUTSIDE MICROMETER MECHANICAL
Sales reference	710-M6
Weight (g)	210
Accuracy (mm)	0.01
Capacity (mm)	0 - 25
Guarantee	S   Technical Assistance Department

**Guarantee applied****S | Technical Assistance Department**

We replace your pneumatic tool or machine within 24hrs with a similar piece of equipment without having to wait for your machine to be sent for assessment.

>> [Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 08:15:24

