



1/2" torsion bar sockets

76-BT-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 17:42:08





DESCRIPTION

1/2" torsion bar sockets

Limits the torque generated by an impact wrench, to respect the tightening conditions. Driven by a standard 1/2" square. Torque values recommended by the automotive manufacturers. The tightening torque is indicated by the colour of the socket. The socket is used for the approach when tightening and does not replace the torque wrench which alone certifies final tightening.

STANDARDS / DIRECTIVES

NF ISO 691

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 17:42:08



SPECIFIC DATA

Sales reference	L (mm)	Weight (g)	A (mm)	Color of socket	Maximum torque (Nm)	Guarantee
76-BT1	228	240	17	Black	75	O
76-BT8	210	297	21	Purple	120	O
76-BT7	214	288	21	White	100	O
76-BT2	214	256	17	Grey	95	O
76-BT6 (not marketed)	216	297	19	Blue	120	O
76-BT5	223	300	19	Green	90	O
76-BT3	219	285	17	Red	110	
76-BT4 (not marketed)	219	237	19	Yellow	60	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

