



1/2" torsion bar sockets

76-BT8

76-BT-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 03:18:05





DESCRIPTION

1/2" torsion bar sockets

Limits the torque generated by an impact wrench, to respect the tightening conditions. Driven by a standard 1/2" square. Torque values recommended by the automotive manufacturers. The tightening torque is indicated by the colour of the socket. The socket is used for the approach when tightening and does not replace the torque wrench which alone certifies final tightening.

STANDARDS / DIRECTIVES

NF ISO 691

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 03:18:05



SPECIFIC DATA

| | |
|---------------------|---------------------------|
| Designation | TORSION BAR SOCKET 21X120 |
| Sales reference | 76-BT8 |
| L (mm) | 210 |
| Weight (g) | 297 |
| A (mm) | 21 |
| Color of socket | Purple |
| Maximum torque (Nm) | 120 |
| Guarantee | O |

Guarantee applied**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

