



# Dismountable, folding cranes, 500 kg to 2t

CG-...A

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 













#### **DESCRIPTION**

# Dismountable, folding cranes, 500 kg to 2t

Designed to facilitate the lifting and movement of engines and other transmission systems. Also useful in the industrial sector for machining, reconstruction and maintenance operations. Fast piston rise and precise descent controlled by the user thanks to an ergonomic handle. Dead man's handle principle: freezes any manoeuvre if the user loses control of the operation. The cranes are equipped with a safety valve calibrated to the nominal force of 50% above the recommended weight. Device for automatically setting the descent speed according to the load. Hydraulic unit swivelling up to 135° to allow the user to position themselves as well as possible for raising and lowering operations. The extendable arm is fitted with a handle to facilitate its positioning on the elevator arm. Has 3 or 4 notches to indicate the lifting force on each point. Wheels made of non-oxidizable and silent polyamide. Allows the passage of a Euro-type pallet. SAFETY: Crane descent stopped automatically if the user inadvertently loses control.

# STANDARDS / DIRECTIVES

### SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 









#### 2006/42/CE

### **SPECIFIC DATA**

Sales	Weight (kg)	Width (mm)	Length	Capacity kg	lift 1 kg	lift 2 kg	lift 3 kg	lift 4 kg	Maximum	Minimum	Guarantee
reference			(mm)						hook height	hook height	
									mm	mm	
CG-10A	100.000	1020	1500	1000	1000	800	500	2750	620		М
(not											
marketed)											
CG-20A	180.000	820	1870	2000	2000	1750	1650	No	2470	620	М
(not											
marketed)											
CG-5A (not	65.000	900	1280	500	500	400	250	2400	520		М
marketed)											

#### **Guarantee applied**

## M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 





