



Dismountable, folding cranes, 500 kg to

2t

CG-...A





SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in

https://www.sam-outillage.com/





DESCRIPTION

Dismountable, folding cranes, 500 kg to 2t

Designed to facilitate the lifting and movement of engines and other transmission systems. Also useful in the industrial sector for machining, reconstruction and maintenance operations. Fast piston rise and precise descent controlled by the user thanks to an ergonomic handle. Dead man's handle principle: freezes any manoeuvre if the user loses control of the operation. The cranes are equipped with a safety valve calibrated to the nominal force of 50% above the recommended weight. Device for automatically setting the descent speed according to the load. Hydraulic unit swivelling up to 135° to allow the user to position themselves as well as possible for raising and lowering operations. The extendable arm is fitted with a handle to facilitate its positioning on the elevator arm. Has 3 or 4 notches to indicate the lifting force on each point. Wheels made of non-oxidizable and silent polyamide. Allows the passage of a Euro-type pallet. SAFETY: Crane descent stopped automatically if the user inadvertently loses control.

STANDARDS / DIRECTIVES

SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 € https://www.sam-outillage.com/

SILVER 2022 ecovadis Sustainability Rating

LRQA

CERTIFIED

150 9001

NORKSHOP AND PERSON EQUIPMENT





2006/42/CE

SPECIFIC DATA

Designation	2,000 KG FOLDING CRANE
Sales reference	CG-20A
Weight (kg)	180.000
Width (mm)	820
Length (mm)	1870
Capacity kg	2000
lift 1 kg	2000
lift 2 kg	1750
lift 3 kg	1650
lift 4 kg	No
Maximum hook height mm	2470
Minimum hook height mm	620
Guarantee	Μ

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



LRQ/\

CERTIFIED

ISO 9001

SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

https://www.sam-outillage.com/