

Trolley jack, 1.5t to 20t

CR-...-B

SAM Outillage


10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-29 08:46:03





DESCRIPTION

Trolley jack, 1.5t to 20t

Cups equipped with rubber buffers to protect the contact surface. Rubber protection over the whole head. Hydraulic stroke limiter. Complies with standard CE EN 1494.

PRACTICAL: Rubber protection on all the jack heads. Hydraulic travel limiter. COMFORT AND SPEED: Polyamide wheels on models lower than 6T: floor protection. Cups fitted with rubber pads to protect the contact surface. The ergonomic handle with grips enables a quick approach whatever the position. The quick-approach pedal allows you to make direct contact. Additional central wheel to facilitate the manoeuvres on model CR-15-B and CR-20-BP. SAFETY: Safety pedal: authorises the jack to descend on the user's initiative. Anti-overloading safety valve. Safety device in the case of uncontrolled lowering: "dead man's handle" device- safety valve in the case of overloading- conform to standard EC EN 1494

STANDARDS / DIRECTIVES

2006/42/CE

SAM Outillage


10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



SPECIFIC DATA



Sales reference	E (mm)	Weight (kg)	C (mm)	H (mm)	D (mm)	A (mm)	F (mm)	Capacity	B (mm)	G (mm)	Guarantee
CR-15-B (not marketed)	1250	60.5	165	360	775	110	2180	1,5T	665	360	M
CR-100-B (not marketed)	1600	129	270	386	605	170	2530	10T	435	414	M
CR-200-B (not marketed)	1777	235	310	302	615	200	2707	20T	415	415	M
CR-120-B (not marketed)	1550	130.5	270	386	580	190	2480	12T	390	414	M

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



CR-60-B	1310	88	220	336	580	170	2215	6T	410	414	M
(not marketed)											
CR-20-B	880	32	135	260	465	75	1810	2T	390	360	M
(not marketed)											
CR-30-B	1150	50	185	260	525	140	2080	3T	385	360	M
CR-20-BP	920	43	135	260	520	48	1850	2T	455	360	M
(not marketed)											

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

