



Jack 2.5 tonnes, extra-flat

CR-25-CP

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-06 21:25:19





DESCRIPTION

Jack 2.5 tonnes, extra-flat

Ideal for vehicles with low ground clearance or fitted with lower-body shell protections.

Double pump making it possible to raise the jack faster.

100% SECURE: Safety valve that prevents overloading and protects the hydraulic system.

Capacity: 2.5 T.

Minimum height: 90 mm.

Maximum height: 515 mm.

Product dimensions: 722x328x150 mm

Weight: 33.8 kg.

STANDARDS / DIRECTIVES

2006/42/CE, NF EN 1494+A1

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-06 21:25:19



SPECIFIC DATA



Designation	2.5-TONNE ULTRA-FLAT FLOOR JACK
Sales reference	CR-25-CP
E (mm)	722
Weight (kg)	35.000
C (mm)	150
H (mm)	150
D (mm)	515
A (mm)	75
F (mm)	1500
Capacity	2,5
B (mm)	440
G (mm)	328
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-06 21:25:19

