



# Hydraulic air bag bladder jack

CRHB-2 CRHB-...







#### CRHB-2 Hydraulic air bag bladder jack





#### **DESCRIPTION**

### Hydraulic air bag bladder jack

This product is ideal for day-to-day car maintenance lifting operations on the move.

Its small size and its ease-of-use make it the essential ally on a daily basis for all intervention and repair trucks.

Two models for lifting 2T with two possible lifting heights:

CRHB-2: One 2-bulb model with maximum lifting to 430 mm.

CRHB-3: One 3-bulb model with maximum lifting to 560 mm.

Can adapt to environments for a user requiring ultra-flat car lifting or a more standard type of lifting.

Product with minimum dimensions for quick stowage in your vehicle, and easy to move thanks to its ultra-light weight (30x50cm and hardly 15kg).

The product is supplied with an extension fitted with a rubber pad protecting the vehicle's chassis while lifting it.

Fitted with a double-acting lever: rise / descent (right/left).

#### SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 









## **CRHB-2**Hydraulic air bag bladder jack

No maintenance required.

The system is equipped with an internal telescopic guidance system making it possible to ensure vertical lifting and lowering, therefore greater robustness and the guarantee of a maximum lifetime.

Conform to standards EC GS TUV and 2006/42/EC and EN1494.

Recommended utilisation pressure: 6 bar and 7 bar max.

Provide a 1/4" air intake connection with a coupling type 19062 (PTS/SAM range) to connect it to your network.

#### STANDARDS / DIRECTIVES

2006/42/CE

#### **SPECIFIC DATA**



Designation	2-TONNE HYDROPNEUMATIC JACK WITH 2 PADS
Sales reference	CRHB-2
Weight (kg)	16
C (mm)	80
D (mm)	430
A (mm)	115

#### **SAM Outillage**

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 









#### CRHB-2 Hydraulic air bag bladder jack

Capacity	2T
B (mm)	235
Guarantee	М

#### **Guarantee applied**

#### M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 





