



Hydraulic air bag bladder jack

CRHB-2

CRHB-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-10 20:50:21





DESCRIPTION

Hydraulic air bag bladder jack

This product is ideal for day-to-day car maintenance lifting operations on the move.

Its small size and its ease-of-use make it the essential ally on a daily basis for all intervention and repair trucks.

Two models for lifting 2T with two possible lifting heights:

CRHB-2: One 2-bulb model with maximum lifting to 430 mm.

CRHB-3: One 3-bulb model with maximum lifting to 560 mm.

Can adapt to environments for a user requiring ultra-flat car lifting or a more standard type of lifting.

Product with minimum dimensions for quick stowage in your vehicle, and easy to move thanks to its ultra-light weight (30x50cm and hardly 15kg).

The product is supplied with an extension fitted with a rubber pad protecting the vehicle's chassis while lifting it.

Fitted with a double-acting lever: rise / descent (right/left).

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-10 20:50:21



No maintenance required.

The system is equipped with an internal telescopic guidance system making it possible to ensure vertical lifting and lowering, therefore greater robustness and the guarantee of a maximum lifetime.

Conform to standards EC GS TUV and 2006/42/EC and EN1494.

Recommended utilisation pressure: 6 bar and 7 bar max.

Provide a 1/4" air intake connection with a coupling type 19062 (PTS/SAM range) to connect it to your network.

STANDARDS / DIRECTIVES

2006/42/CE

SPECIFIC DATA



Designation	2-TONNE HYDROPNEUMATIC JACK WITH 2 PADS
Sales reference	CRHB-2
Weight (kg)	16
C (mm)	80
D (mm)	430
A (mm)	115

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Capacity	2T
B (mm)	235
Guarantee	M

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-10 20:50:21

