



# Hydraulic air bag bladder jack

CRHB-3 CRHB-...



https://www.sam-outillage.com/

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 12:57:43









### DESCRIPTION

# Hydraulic air bag bladder jack

This product is ideal for day-to-day car maintenance lifting operations on the move. Its small size and its ease-of-use make it the essential ally on a daily basis for all intervention and repair trucks.

Two models for lifting 2T with two possible lifting heights: CRHB-2: One 2-bulb model with maximum lifting to 430 mm. CRHB-3: One 3-bulb model with maximum lifting to 560 mm.

Can adapt to environments for a user requiring ultra-flat car lifting or a more standard type of lifting.

Product with minimum dimensions for quick stowage in your vehicle, and easy to move thanks to its ultra-light weight (30x50cm and hardly 15kg).

The product is supplied with an extension fitted with a rubber pad protecting the vehicle's chassis while lifting it. Fitted with a double-acting lever: rise / descent (right/left).

SAM Outillage 10 rue Camille de Rochetaillée 42000 Saint-Etienne - France RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

https://www.sam-outillage.com/







No maintenance required.

The system is equipped with an internal telescopic guidance system making it possible to ensure vertical lifting and lowering, therefore greater robustness and the guarantee of a maximum lifetime.

Conform to standards EC GS TUV and 2006/42/EC and EN1494.

Recommended utilisation pressure: 6 bar and 7 bar max.

Provide a 1/4" air intake connection with a coupling type 19062 (PTS/SAM range) to connect it to your network.

## **STANDARDS / DIRECTIVES**

#### 2006/42/CE

SPECIFIC DATA



| Designation     | 2-TONNE HYDROPNEUMATIC JACK WITH 3 PADS |
|-----------------|-----------------------------------------|
| Sales reference | CRHB-3                                  |
| Weight (kg)     | 17.5                                    |
| C (mm)          | 60                                      |
| D (mm)          | 560                                     |
| A (mm)          | 200                                     |

SILVER

2022 ecovadis LRQ/\

CERTIFIED

ISO 9001

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 

https://www.sam-outillage.com/



| Capacity  | 2T  |
|-----------|-----|
| B (mm)    | 300 |
| Guarantee | Μ   |

#### **Guarantee applied**

#### M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

#### >> Find out more



