



Rolling jack

CSR-7

CSR-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 18:11:52





DESCRIPTION

Rolling jack

Adaptability: Great opening amplitude between the rollers to work on every type of car wheel. Practical: Pedal-operated hydraulic pump for fast lifting. Comfort: Nylon wheels for lower noise levels on the move.

Ideal for moving vehicles around the workshop.

Aluminium under-wheel roller.

Not to be used for towing a vehicle.

Max. acceptable wheel width: 310 mm.

Wheel dimension: 100 mm

CSR-7: Sold individually

CSR-14: Sold in pairs

STANDARDS / DIRECTIVES

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 18:11:52



2006/42/CE

SPECIFIC DATA

Designation	680-KG HYDRAULIC UNDER-WHEEL JACK
Sales reference	CSR-7
Weight (kg)	19
Guarantee	M

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

