



DYNALIGHT® electronic torque wrenches, torque + angle

DYCA-135-1
DYCA-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 21:35:45





DESCRIPTION



DYNALIGHT® electronic torque wrenches, torque + angle

EASY ACCESS TO THE TIGHTENING POINTS: thanks to ratchet that can be tilted to 15°. TIGHTENING OF SCREWS WITH RIGHT- OR LEFT-HAND PITCH: The wrench can be used in tightening or loosening mode. A SINGLE WRENCH: enabling tightening to the torque value and at the angle. INTUITIVE FAST SETTING OF THE TORQUE AND ANGLE: thanks to the integrated display.

Key to make tightening with great precision to the torque and the angle while guaranteeing total traceability.
Ideal for automotive mechanical maintenance interventions.

PRECISION

Accuracy guaranteed at +/- 2% in tightening and loosening mode.

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 21:35:45



Accuracy guaranteed at +/- 2% in angle tightening mode.
Key supplied with 3-point calibration certificate and delivered in a box.

COMFORT

Unit of tightening torque: Nm, Ft.lb, cm.kg, in.lb.
Data exploitation with SAM-DYCA software.
Connectivity with USB cable supplied with the key.
Memory capacity: 999 values.
Zeroing of the key automatically at startup.
Works with 2 x AA LR6 batteries supplied with the key.
Handle resistant to hydrocarbons, solvents, brake fluid and oil.
Measuring mode: peak.

SAM DYCA Software

Exploitation of the data with the software.
Save the data to a computer.
The software is delivered with the key on a USB key.

Each key is numbered and delivered with a verification report in accordance with the NF EN ISO 6789 standard.
Visual and audible alarm.
Type I - Class C.

STANDARDS / DIRECTIVES

NF ISO 3315, NF ISO 6789-1

SPECIFIC DATA

Designation	ELECTRONIC TORQUE WRENCH DYNALIGHT C 135NM
Sales reference	DYCA-135-1
L (mm)	460
Weight (kg)	1.96

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France
RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €
<https://www.sam-outillage.com/>



Container	Box
Capacity (Nm)	13.5 - 135
Ratchet	3/8
Capacity (Ft.lb)	9,96 - 99,6
Dimensions containing (mm)	492 x 110 x 63
Guarantee	M

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

