



## DYNALIGHT® force electronic wrenches for round ends

**DYL-...**

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 12:17:14





## DESCRIPTION

### DYNALIGHT® force electronic wrenches for round ends

USE OF THE TORQUE WRENCH IN TIGHTENING OR LOOSENING MODE.

PRACTICAL: measured value independent of hand positioning.

CONTROLLED TIGHTENING SPEED: Respected tightening torque.

55H AUTONOMY: with a simple battery 9V 6LR61 (delivered with the torque wrench).

Thanks to a rigorous mathematical calculation, this torque wrench knows how to measure the applied torque as well as the applied force and the efficiency coefficient of a screw.

A torque wrench to perform 3 technical operations with only one tool.

#### PRECISION

Accuracy guaranteed at +/- 1% in tightening and loosening mode (except model with 40-400 Nm capacity: +/- 3%).

Supplied with a 3 points calibration certificate and delivered in a box.

#### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 12:17:14



COMFORT

Torque unit: Nm, Ft.lb, M.kg, in.lb.

Unit of force: N and lb.

Automatic reset.

Steel body providing great strength.

Measurement mode: peak, follower, efficiency or force.

Each torque wrench is numbered and delivered with a verification report in accordance with the NF EN ISO 6789 standard.

Visual and audible trigger.

Type I - Class C.

STANDARDS / DIRECTIVES

NF ISO 3315, NF ISO 6789-1, 2014/30/UE

SPECIFIC DATA

Sales reference	Weight (kg)	Container	Capacity (Nm)	Ratchet	double square	software	cord	Capacity (Ft.lb)	Ends	only wrench length	Length with ratchet (mm)	Ratchet reference	Dimensions containing (mm)	Remote screen	Guarantee
DYL-10-2  (not marketed)	2.16	Box	1 - 10	1/4	-	-	-	0,8 - 8	12 mm	240	260	TC-0-1/  4	535x29  0x70	Yes	M
DYL-10-4  (not marketed)	2.83	Box	1 - 10	1/4	DC-0-1/  4	DYKD-  1	DYKD-  3	0,8 - 8	12 mm	240	260	TC-0-1/  4	535x29  0x70	Yes	M

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



DYL-25-2  (not marketed)	2.6	Box	2 - 25	1/4	-	-	-	1,6 - 16	12 mm	280	300	TC-0-1/  4	535x29  0x70	Yes	M
DYL-25-4  (not marketed)	2.98	Box	2 - 25	1/4	DC-0-1/  4	DYKD-  1	DYKD-  3	1,6 - 16	12 mm	280	300	TC-0-1/  4	535x29  0x70	Yes	M
DYL-50-2	2.56	Box	5 - 50	3/8	-	-	-	4 - 40	12 mm	375	395	TC-0-3/  8	535x29  0x70	No	M
DYL-50-4  (not marketed)	3.2	Box	5 - 50	3/8	DC-0-3/  8	DYKD-  1	DYKD-  3	4 - 40	12 mm	375	395	TC-0-3/  8	535x29  0x70	No	M
DYL-100-1  (not marketed)	2.8	Box	10 100	1/2	-	-	-	8 - 80	19 mm	455	485	TC-2-1/  2	535x29  0x70	No	M
DYL-100-4  (not marketed)	3.68	Box	10 Å  100	1/2	DC-2-1/  2	DYKD-  1	DYKD-  3	8 - 80	19 mm	455	485	TC-2-1/  2	535x29  0x70	No	M
DYL-200-2	2.88	Box	20 -  200	1/2	-	-	-	15 -  150	19 mm	520	550	TC-2-1/  2	535x29  0x70	No	M
DYL-200-4  (not marketed)	3.85	Box	20 -  200	1/2	DC-2-1/  2	DYKD-  1	DYKD-  3	15 -  150	19 mm	520	550	TC-2-1/  2	535x29  0x70	No	M

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 12:17:14



DYL-400-4	6	Box	40 -	1/2	DC-2-1/	DYKD-	DYKD-	30 -	19 mm	885	915	TC-2-1/	965x23	No	M
(not marketed)			400		2	1	3	300				2	0x94		

**Guarantee applied**

**M1 | SAM Equipment and Machine Guarantee:**

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

TROUQUE TIGHTENING

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 12:17:14

